

1 Allée des Bouleaux -F-95110 SANNOIS
 +33 (0)1 39 98 55 00
 info@restagraf.com

STANDARD-FLACHSICHERUNG 20A



Item code	Number of References	Number of pieces	Conditioning
306875	1	75	BEHÄLTER
6875	1	25	BEUTEL
226875	1	5	BLISTER



Technical informations		
L		19.1 mm
B		5.2 mm
h		19.3 mm
h1		12.8 mm
a		8.5 mm
b		5.2 mm
l4		14.2 mm
s		0.64 mm
Intens.		20 A

Materials
ZINK

Manufacturer correspondence*			
ALFA ROMEO	11055190	AUDI	N01713113

Manufacturer correspondence*			
B.M.W	61131372518	B.M.W	61131372527
B.M.W	61131386848	B.M.W	61146953470
CHEVROLET - DAEWOO	12004009	CHEVROLET - DAEWOO	8215701010
CHEVROLET - DAEWOO	90042033	CHRYSLER - JEEP	5101468AA
CUPRA	N01713113	DAIHATSU	9004940021
DAIHATSU	9004940021000	FIAT	11055190
FIAT	6000618868	FORD Finis	1591031
FORD Finis	5022491	FORD Werksnummer	890X14A094CA
FORD Werksnummer	D9ZB14A094EA	HONDA	9820032000
HYUNDAI	1893720252	HYUNDAI	9183721100
ISUZU	5825160040	IVECO	11055190
JAGUAR	DGC2497	JAGUAR	LST8729AA
KIA	9183721100	KIA	K997051120
LANCIA	11055190	LAND ROVER	ADU1878
LAND ROVER	ADU1878L	LAND ROVER	LR003732
LAND ROVER	LR078830	LAND ROVER	RTC4504
LAND ROVER	YQF000100	LAND ROVER	YQG10007
MAZDA	1E0366763	MAZDA	997051120
MERCEDES-BENZ	A0025451134	MERCEDES-BENZ	N000000004206
MERCEDES-BENZ	N000000007652	MERCEDES-BENZ	N000000007893
MERCEDES-BENZ	N000000008702	MERCEDES-BENZ	N072581000306
MINI	61131372518	MINI	61131372527
MINI	61146953470	MITSUBISHI	MS810967
MITSUBISHI	MS810988	NISSAN	0894122000
NISSAN	24319V0120	OPEL (GM) Katalognummer	1238324
OPEL (GM) Katalognummer	4415983	OPEL (GM) Teilenummer	2795836
OPEL (GM) Teilenummer	90167851	OPEL (GM) Teilenummer	91145639
OPEL (GM) Teilenummer	93184380	OPEL (GM) Teilenummer	95525735
PEUGEOT / CITROËN	650423	PEUGEOT / CITROËN	6997L4
PORSCHE	99960708600	RENAULT	7700410551
RENAULT	7701998059	SAAB	7974652
SEAT	N01713113	SEAT	N01713133
SKODA	N01713113	SUZUKI	0948120101
TOYOTA	9008082014	TOYOTA	9098209004

Manufacturer correspondence*			
VOLKSWAGEN	N01713113	VOLKSWAGEN	N01713123
VOLKSWAGEN	N01713133	VOLVO	968547

* Non contractual information given as indication
